



STILL

STILL
RX60-30




STILL
RX60-30

HG JD 310



CE
U>75V



HAWKER

EnerSys SA
Houtweg 26
1140 BRUSSELS
BELGIUM

TYPE
TYPE
TYP
TYPE

80V 4 PZS 620

NOMINAL VOLTAGE
TENSION NOMINALE
NENNSPANNUNG
NOMINALE SPANNUNG

80 Volt

SERIAL NUMBER
No. DE SERIE
SERIENNUMMER
SERIE NUMBER



7364270008

CAPACITY
CAPACITE
KAPAZITÄT
KAPACITEIT

C5 620 Ah

PN / DRAWING No.
PN / No DE PLAN
ART / ZEICHNUNGS-NR.
PN/TEKENING NUMBER

4590257CBC / 9936_50012_00_A

NUMBER OF CELLS
NB ELEMENTS
ZELLENANZAHL
AANTAL CELLEN

40

CUSTOMER REF.
REF. CLIENT
KUNDEN REF.
KLANT REFERENTIE

8504106832-STILL-pakket

SERVICE MASS
MASSE EN SERVICE
BETRIEBSGEWICHT
SERVICE MASSA

1525 kg

DATE OF PROD.
DATE DE PROD.
PROD. DATUM
PRODUKTIE DATUM

24.01.2020

ELECTROLYTE CONTENT
TENEUR EN ELECTROLYTE
ELEKTROLYTGEHALT
ELECTROLYTE INHOUD

248 l



- Gebrauchsanweisung beachten.
- Please follow the instructions.
- Se conformer à la notice d'emploi.
- Gebruiksaanwijzingen naleven.

- Følg bruksanvisningen.
- Följ bruksanvisningen.
- Dodržujte návod k použití.



mobile
Access



36837

STILL
RX60-30



STILL
RX60-30



STILL
RX60-30

39827

TRELLEBORG

TRELLEBORG





MANITOU
empowering YOUR WORLD

mobile
easykey[®]

STILL
RX60-30

JD 310





23465502 V E1

easy

STILL
RX60-30

easy



- Warning sign (exclamation mark in a triangle)
- Open book icon
- Blue circular sign with a white arrow pointing right
- Red circle with a white diagonal line over a person icon
- Red circle with a white diagonal line over a person icon
- Red circle with a white diagonal line over a person icon

STILL

HG JD 310



STILL

NO SMOKING
NO MOBILE PHONE USE

STILL





STILL
RX60-30

G JD 310