





MANITOU
HANDLING YOUR V...

dp + willel qouwick

pile sykey

MANITOU

M50-4

Manitou
+ willel qouwick



domnick
+ müller
dm

MANITOU

H50-4

WW







WANTON



NI





mobiele
easykey

MANITOU

M50-4

... nice to miet me!

M



MANITOU

MSO-4

... nice to meet me!

M

MANITOU
HANDLING

mobil
easy

domr
+ müll



MANITOU

www.gi-verleih.de

MAN





CAPACITE NOMINALE
 RATED CAPACITY
 NENNKAPAZITÄT
 CAPACIDAD NOMINAL
 CAPACITÀ NOMINALE

5000 Kg

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITÄT
 CAPACIDAD EFFECTIVA
 CAPACITÀ EFFETTIVA

SUIVANT NORME ISO 3691-1 / 22915-13


1- Jusqu'à hauteur de levée
 Up to height of
 Bis zur hubhöhe
 Hasta altura de elevación
 Sino ad altezza di sollevamento

4000 mm

2- Pour hauteur maximale de
 For maximum height of
 Für maximale Höhe
 Para altura máxima de
 Per altezza massima di

5500 mm

MAT VERTICAL
 VERTICAL MAST
 VERTIKALER MAST
 MASTIL VERTICAL
 RAMPÀ VERTICALE



EQUIPEMENT
 ATTACHMENT
 ZUBEHÖR
 EQUIPO
 ATTREZZATURA

TDA 50N 1676

CAPACITES EFFECTIVES
 ACTUAL CAPACITIES
 EFFEKTIVE KAPAZITÄT
 CAPACIDAD EFFECTIVA
 CAPACITÀ EFFETTIVA

4600
 2820
 2350
 2000
 1550
 1400

n°:52533949



www.domnick-mueller.de
 service@domnick-mueller.de
 06172 - 95 66 88



Service Portal



www.domnick-mueller.de
 service@domnick-mueller.de
 06172 - 95 66 88



Service Portal

2" →  =  WAT 20 / 40

  n°300681  DPF Inside   n°32549319

