

























Continental


CSE-ROBUST SC 15

CONTINENTAL

8.25-15 / 6.50 153 AS







Mot.-Typ		Code		Mot.-Nr.										
BF6M 1012 E		C85/4		00764825		kW(G)red.		EP	K					
kW (G)		kW (S)		1/min		kW(S)red.		163	C					
85.0				2200		06.0 C		161	C					
kW (V)		0464/18		32210510		°C		164	C	e1*97/68BA*00/000*0025*03 				
						+ 25		160	C					
						m		161	C					
						100		162	C					



ISC 1585 G
DEUTZ AG MADE IN GERMANY

0123270

EN
202X
BF







SCHWERLAST FÖRDERUNG
Bitte die Einfahrt freihalten
(auch gegenüber)
mindest 10 m nach hinten & rechts









Cascade®

CATALOG NUMBER
NUMERO DE REFERENCE
KATALOG NUMMER

KATALOGUSNUMMER
NUMERO DE REFERENCIA
NUMERO DI CATALOGO

EMC 7000

SERIAL NUMBER
NUMERO DE SERIE
SERIEN NUMMER

SERIE NUMBER
NUMERO DE SERIE
NUMERO DI SERIE

97107

WEIGHT GEWICHT
MISSE PESO
MASSE PESO

2400 kg

MAX. HYDRAULIC PRESSURE
PRESSION MAX. ADMISSIBLE
MAX. HYDRAULIK DRUCK

MAX. HYDRAULISCHE D
PRESSION MAX. ADMISSIB
PRESSIONE IDRAULICHE

THE RATED CAPACITY OF THIS MAST IS : DE NOMINALE CAPACITEIT VAN DEZE MAST IS :
LA CAPACITE NOMINALE DE CE MAT EST : LA CAPACIDAD NOMINAL DE ESTE MASTIL ES DE
ANGEGBENE TRAGFÄHIGKEIT DIESES MASTES : LA PORTATA NOMINALE DI QUESTO MONTANTE E

LOAD CENTRE
CENTRE DE CHARGE
LASTSCHWERPUNKT
ZWAARTEPUNT LADING
CENTRO DE CARGA
BARICENTRO DEL CARICO

LIFTHEIGHT
HAUTEUR DE LEVEE
HUBHÖHE
HEFHOOGTE
ALTURA DE ELEVACION
ALTEZZA DI SOLLEVAMENTO

6440 mm

UP TO
JUSQU'A
BIS
TOT
HASTA
FINO A

7000 kg
kg
kg

AT
A
BEI
OP
DESDE
A

600 mm
mm
mm

FOR ALL SERVICE AND PARTS LITERATURE CONTACT CASCADE
POUR LES MANUELS D'ENTRETIEN ET DE PIECES DE RECHANGE S'ADRESSER A CASCADE
FÜR WARTUNGS UND ERSATZTEILUNTERLAGEN SETZEN SIE SICH MIT CASCADE
ALLE SERVICE-EN ONDERDELEN LITERATUUR AAN TE VRAGEN BIJ CASCADE
PARA MANUALES DE MANTENIMIENTO Y PIEZAS DE RECAMBIO DIRIJASE A CASCADE
PER I MANUALI DI MANUTENZIONE E RICAMBI RIVOLGERSI ALLA CASCADE

CASCADE N.V.
ALMERE



RATED
OF THE
LA CAP
STRUCT
INFERIE
DE TRAC
VERANTV
AUF DIE
DE NOMI
VERANTW
DE CAPAC
LA CAPACI
RESPONSA
QUE SE MI
LA PORTATA
CARRELLO
TARGHETTA

SEE TRUCK
VOR LA PLA
WEGEN DER
DIE DE TRUCK
VOR LA PLA
VEDERE LA R

LINDE AG

D - Aschaffenburg



Typ
Type
Modèle

H80D/900-02

Serien-Nr./Bj.
Serial no./year
No. de série/année

E1X353N01194

/2002

Nenn-Tragfähigk.
Rated capacity
Capacité nominale

8000

kg

Leergew. ^x
Unladen mass
Masse à vide

13540

kg

max.
Batteriegew. ^x
Battery mass
Masse batterie

kg

Batt. - Sp.
Batt. - volt.
Tension batt.

V

min.

kg

Linde

^x s. Betriebsanl. / see Operating instructions / voir Mode d'emploi